

A violinist is shown playing a violin. The violin is a rich, warm brown color. The musician's hands are visible, with the left hand on the neck and the right hand on the body. The background is dark, with several musical notes and a treble clef floating around the instrument. The word "Remé" is written in a stylized, white, cursive font with a red outline and a registered trademark symbol (®) at the end. The text "The Meastro of GIT Disorders" is written in a bold, white, serif font at the bottom of the image.

Remé[®]

**The Meastro of
GIT Disorders**

Remē[®]

Enteric coated, Soft gelatin capsule

Plays a Symphony Of Harmonical Actions
to restore the physiological functions of the **GIT**

Menthon, Menthol have calcium antagonist effect

Smooth muscle relaxation⁽³⁾

Apigenin 3 times more potent than papaverine⁽⁴⁾

Powerfull antispasmodic action



Menthon , Menthol , Carvone & Fenchone

➤ **Potent Carminative effect⁽³⁾**

Carvone ➤ **Potent Laxative effect⁽⁵⁾**

Apigenin acts on the benzodiazepine receptors

Calming effect



Remē[®]

Enteric coated, Soft gelatin capsule

- • • Alpha & beta Curcumin increase mucus thickness of the stomach⁽⁶⁾
- • • Alpha bisabolol has a soothing effect on the irritated gastric mucosa⁽⁷⁾



gastroprotective effect

Alpha & beta curcumin are potent **Antioxidants**⁽¹⁾

hepatoprotective effect



Alfa & beta curcumin increase bile secretion⁽²⁾
Choleretic effect

the synergistic action of these active ingredients

Ensures rapid relief of symptoms

Soft gelatin capsule Easy to swallow

Has a pleasant refreshing flavor

Ensures your patient compliance

Remē

Enteric coated, Soft gelatin capsule

Remē is a pure natural product, free from unpleasant side effect of chemical medications.

Remē contains 5 active ingredients complement each other to ensure rapid relief of symptoms.

Remē is enteric coated capsules act directly at the site of action to ensure high efficacy.

Remē has a refreshing flavour.

Indications:

- Management of symptoms of irritable bowel syndrome.
- Indigestion, flatulence and spasm.
- Dyspeptic symptoms associated with delayed emptying.

Composition:

Each capsule contains:

- Menthon-Menthol (Peppermint oil 50 mg)
- Alpha-bisabolol - Apigenin
Chamazulen (Chamomile oil 20 mg)
- Carvone - Fenchone (Fennel oil 50 mg)
- Carvone - Limonene (Caraway oil 50 mg)
- Alpha and Beta curcumin (Curcumin oil 20 mg)

Dosage:

One capsule before meal.

Package:

Box of 2-3 strips 10 capsules each



References:

- 1- Sharma, O.P., Antioxidant activity of curcumin and related compounds. *Biochem.*, 1976, 25, 1811 - 1812
- 2- PLatel, K. and srinivasan, K., Influence of dietary spices and Active principles on pancreatic digestive enzymes in albino rats. *Nahrung*, 2000, 44,42-46
- 3- Ammon, h. p. t. and wahl, M. a. pharmacology of *Mintha Peperita*. *planta med* 1991, 57,1-7
- 4- Kapoor, L. D. Handbook of Ayurvedic Medicinal plants, CRC press, boca raton, florida, 1990, p. 185.
- 5- Dha, M. L.,Dhar, M. M., Dhawan, B.N., Mehrotra, B. N., and Ray, Screening of Indian plants for biological activity: I. *Indian J. Exp. Biol.*, 1968, 6, 232-247
- 6- Rafatullah S et al. Evaluation of yumeric (*Curcuma longa*) for gastric and duodenal antiulcer activity in rats. *Journal of ethnopharmacology*, 1990, 29:25-34.
- 7- Sinha M et al. study of the mechanism of action of chamomile: antiulcer agent. *Indian Journal of pharmacy*, 1975,7:98-99.
- 8- Jentsch, K., Gonda, t. and holler, H., paper chromatographic and pharmacological investigations on chamomile pharm. *Acta Hel.*, 34, 181 - 188.

For further information please contact Egypharma scientific office:
12 Moeez Eldawla st., Makram Ebeid - Nasr City.
Tel: 02 227 41 330 - 02 227 08 222
Mob: 010 003 25 60
E-mail: egypharmaco@yahoo.com

