



For a joyful

9 Months


Granitryl[®]
granisetron HCL

Granitryl[®]

granisetron HCL

$t_{1/2} = 9 \text{ hrs}$

• Longer time free emesis. •



- Single dose effectively cover 24 hr. with high patient satisfaction.
- The highest T_{1/2} of granisetron (**Granitryl**[®]) enables it to be given less frequently than other 5 HT₃ receptor antagonist.⁽⁴⁾

Granitryl[®]

granisetron HCL

Severe morning sickness is common among 50 to 90 percent of all pregnancies which may persist as hyperemesis Gravidarum till the end of gestation.⁽¹⁾

Granisetron is FDA Pregnancy Category B⁽²⁾



• Well tolerated •

Granitryl is effective and generally well tolerated in the treatment of severe morning sickness and Hyperemesis Gravidarum.

• Selectivity provide maximum efficacy •

Granitryl is an antiemetic agent which is consider as a highly selective 5-hydroxy tryptamine (5-HT₃) receptor antagonist with little or no affinity for other serotonin receptors.⁽¹⁾

Granitryl

granisetron HCL

Granitryl & Pregnancy

- Provide Maximum efficacy
- Well-tolerated
- Long time free emesis
- High levels of patients satisfaction



● Indication:

Treatment of severe morning sickness and Hyperemesis Gravidarum

● Dose:

A single dose of **1mg** given by slow **I.V.** injection is recommended & repeated according to physician's advice.

References:

1) Gadsby R, Barnie-Adshead AM, Jagger C. A prospective study of nausea and vomiting during pregnancy. Br J Gen Pract 1993;43:245-8. (Pub Med) 2) McEvoy GK, ed. AHFS: Drug Information. Bethesda, MD: American Society of Health-System Pharmacists; 2008: 2996-2998. ,3) PDR ,4) PDR

For further information please contact Egypharma Scientific office: 24 Abbas Elakkad St., Nasr city, Cairo

Mob.: +20 01000 32 560

Tel & Fax: +202 228 71 991

E.Mail: egypharmaco@yahoo.com

